



Slide System



Connecting Screws 28-36mm



Gm 10-3 Sliding System 50kg Door Thickness two door wardrobe



Gm 10 top sliding System 50 Kg for 18mm



hsk-80- wooden 2-door-kit



sks-100-2b-Sliding & Folding 2-door-kit



sks-100-2a Sliding & Folding-2-door-kit



GM 10 TOP RUNNING SLIDING SYSTEM - 50 Kg

TECHNICAL SPECIFICATION:

- Door Thickness : 16mm To 18mm.
- Weight Capacity 50 Kg For Each Door.
- Top Track & Bottom Track Available in 2.5mtr & 4mtr Lengths.
- GM 10 Can be used for 2 Door & 3 Door Application.
- Gap Between Floor And Wardrobe Base : 50mm.
- Soft Close : SFT 100 With Chowk (Lower Fix).

GM 10 Ext. Door Kit



GM 10 Int. Door Kit



AL-06 Top Track




AL-07 Bottom Track



SFT 100 Lower Fix With Chowk Soft Close



GM 10-1 Ext. Door Kit



GM 10-1 Int. Door Kit



AL-06 Top Track



AL-07 Bottom Track



GM 10-1 TOP RUNNING SLIDING SYSTEM - 50 Kg

TECHNICAL SPECIFICATION:

- Door Thickness : 18mm To 28mm.
- Weight Capacity 50 Kg For Each Door.
- Top Track & Bottom Track Available in 2.5mtr & 4mtr Lengths.
- GM 10-1 Can be used for 2 Door & 3 Door Application.
- Gap Between Floor And Wardrobe Base : 50mm.
- Soft Close : SFT 100 With Chowk (Lower Fix).






MKK 2A Sliding & Folding For Partition Doors



AL-03K Top Track




MKK 2A SLIDING & FOLDING FOR PARTITION DOORS - 40 KG (2 DOORS)

TECHNICAL SPECIFICATION:


- Door Thickness : 20mm to 40 mm.
- Weight Capacity 40 Kg For 2 Door.
- Top Track Available in 2.5mtr.
- Maximum Door Height 2400mm & Width 600mm.



MKK2 B - 006 Sliding & Folding For Partition Doors




AL-03K Top Track



MKK 2B SLIDING & FOLDING FOR PARTITION DOORS - 40 KG (4 DOORS)

TECHNICAL SPECIFICATION:

- Door Thickness : 20mm to 40 mm.
- Weight Capacity 40 Kg For 4 Door.
- Top Track Available in 2.5mtr.
- Maximum Door Height 2400mm & Width 600mm.



SFT 001 - BOTTOM RUNNING SLIDING MECHANISM (40 KG)

TECHNICAL SPECIFICATION:

- ➔ Top Track & Bottom Track is 3mtr.
- ➔ Soft Close : SFT 001.
- ➔ Weight Capacity 40 Kg Each Door.
- ➔ Front & Back Door are Both Side Soft Closing (Opening & Closing).

SFT 001 Sliding Mechanism 2 Door Kit



AL-SFT-05 Upper Track



AL-P-006 Bottom Track



Soft Close - SFT 001



SFT 005 - BOTTOM RUNNING SLIDING MECHANISM (80 KG)

TECHNICAL SPECIFICATION:

- ➔ Top Track & Bottom Track is 3mtr.
- ➔ Soft Close : SFT 005.
- ➔ Weight Capacity 80 Kg Each Door.
- ➔ Front & Back Door are Both Side Soft Closing (Opening & Closing).

SFT 005 Sliding Mechanism 2 Door Kit



AL-SFT-05 Upper Track




AL-P-006 Bottom Track



Soft Close - SFT 005





SKM 42 TOP RUNNING SLIDING MECHANISM - 50KG


TECHNICAL SPECIFICATION:

- Top Track Available in 2.5 mtr.
- Soft Close : TA 80
- Weight Capacity 50Kg Each Door.


SKM 42 - Sliding Mechanism 50Kg



AL-380 Top Track



Soft Close : TA 80




SKM 42 M TOP RUNNING SLIDING MECHANISM - 50KG


TECHNICAL SPECIFICATION:

- Top & Bottom Track Available in 2.5 mtr.
- Soft Close : TA 80
- Weight Capacity 50Kg Each Door.


SKM 42 M - Sliding Mechanism External Door 50Kg



SKM 42 M - Sliding Mechanism Internal Door 50Kg



AL 380 Top Track



AL - DRK Bottom Track



CONTACT DETAILS

COMPANY NAME:

PYRAMID IMPEX INTERNATIONAL

MANAGING DIRECTOR:

Mr. Hussain kagalwala

MOB: +91 9989475152

Address:

DISPLAY CENTER

GROUND FLOOR

1-3-17/A, KALASI GUDA,

SECUNDERABAD-3 A.P.

Email: pyramidimpex@gmail.com